



OAUTH 2 CONFIGURATION



OAuth 2 CONFIGURATION

OAuth 2 is an authentication and security procedure created by Google that is used by Avaya products to integrate with Google's applications, such as Gmail.

This document is provided as a guideline to setting up OAuth 2 for use with Avaya applications.

© 2018, Avaya Inc.

All Rights Reserved.

Notice

While reasonable efforts have been made to ensure that the information in this document is complete and accurate at the time of printing, Avaya assumes no liability for any errors. Avaya reserves the right to make changes and corrections to the information in this document without the obligation to notify any person or organization of such changes.

Documentation disclaimer

“Documentation” means information published in varying mediums which may include product information, operating instructions and performance specifications that are generally made available to users of products. Documentation does not include marketing materials.

Avaya shall not be responsible for any modifications, additions, or deletions to the original published version of Documentation unless such modifications, additions, or deletions were performed by or on the express behalf of Avaya. End User agrees to indemnify and hold harmless Avaya, Avaya's agents, servants and employees against all claims, lawsuits, demands and judgments arising out of, or in connection with, subsequent modifications, additions or deletions to this documentation, to the extent made by End User.

Link disclaimer

Avaya is not responsible for the contents or reliability of any linked websites referenced within this site or Documentation provided by Avaya. Avaya is not responsible for the accuracy of any information, statement or content provided on these sites and does not necessarily endorse the products, services, or information described or offered within them. Avaya does not guarantee that these links will work all the time and has no control over the availability of the linked pages.

Warranty

Avaya provides a limited warranty on Avaya hardware and software. Refer to your sales agreement to establish the terms of the limited warranty. In addition, Avaya's standard warranty language, as well as information regarding support for this product while under warranty is available to Avaya customers and other parties through the Avaya Support website: <https://support.avaya.com/helpcenter/getGenericDetails?detailId=C20091120112456651010> under the link “Warranty & Product Lifecycle” or such successor site as designated by Avaya. Please note that if You acquired the product(s) from an authorized Avaya Channel Partner outside of the United States and Canada, the warranty is provided to You by said Avaya Channel Partner and not by Avaya.

“Hosted Service” means an Avaya hosted service subscription that You acquire from either Avaya or an authorized Avaya Channel Partner (as applicable) and which is described further in Hosted SAS or other service description documentation regarding the applicable hosted service. If You purchase a Hosted Service subscription, the foregoing limited warranty may not apply but You may be entitled to support services in connection with the Hosted

Service as described further in your service description documents for the applicable Hosted Service. Contact Avaya or Avaya Channel Partner (as applicable) for more information.

Hosted Service

THE FOLLOWING APPLIES ONLY IF YOU PURCHASE AN AVAYA HOSTED SERVICE SUBSCRIPTION FROM AVAYA OR AN AVAYA CHANNEL PARTNER (AS APPLICABLE), THE TERMS OF USE FOR HOSTED SERVICES ARE AVAILABLE ON THE AVAYA WEBSITE, [HTTPS://SUPPORT.AVAYA.COM/LICENSEINFO](https://support.avaya.com/LICENSEINFO) UNDER THE LINK “Avaya Terms of Use for Hosted Services” OR SUCH SUCCESSOR SITE AS DESIGNATED BY AVAYA, AND ARE APPLICABLE TO ANYONE WHO ACCESSES OR USES THE HOSTED SERVICE. BY ACCESSING OR USING THE HOSTED SERVICE, OR AUTHORIZING OTHERS TO DO SO, YOU, ON BEHALF OF YOURSELF AND THE ENTITY FOR WHOM YOU ARE DOING SO (HEREINAFTER REFERRED TO INTERCHANGEABLY AS “YOU” AND “END USER”), AGREE TO THE TERMS OF USE. IF YOU ARE ACCEPTING THE TERMS OF USE ON BEHALF A COMPANY OR OTHER LEGAL ENTITY, YOU REPRESENT THAT YOU HAVE THE AUTHORITY TO BIND SUCH ENTITY TO THESE TERMS OF USE. IF YOU DO NOT HAVE SUCH AUTHORITY, OR IF YOU DO NOT WISH TO ACCEPT THESE TERMS OF USE, YOU MUST NOT ACCESS OR USE THE HOSTED SERVICE OR AUTHORIZE ANYONE TO ACCESS OR USE THE HOSTED SERVICE.

Licenses

THE SOFTWARE LICENSE TERMS AVAILABLE ON THE AVAYA WEBSITE, [HTTPS://SUPPORT.AVAYA.COM/LICENSEINFO](https://support.avaya.com/LICENSEINFO), UNDER THE LINK “AVAYA SOFTWARE LICENSE TERMS (Avaya Products)” OR SUCH SUCCESSOR SITE AS DESIGNATED BY AVAYA, ARE APPLICABLE TO ANYONE WHO DOWNLOADS, USES AND/OR INSTALLS AVAYA SOFTWARE, PURCHASED FROM AVAYA INC., ANY AVAYA AFFILIATE, OR AN AVAYA CHANNEL PARTNER (AS APPLICABLE) UNDER A COMMERCIAL AGREEMENT WITH AVAYA OR AN AVAYA CHANNEL PARTNER. UNLESS OTHERWISE AGREED TO BY AVAYA IN WRITING, AVAYA DOES NOT EXTEND THIS LICENSE IF THE SOFTWARE WAS OBTAINED FROM ANYONE OTHER THAN AVAYA, AN AVAYA AFFILIATE OR AN AVAYA CHANNEL PARTNER; AVAYA RESERVES THE RIGHT TO TAKE LEGAL ACTION AGAINST YOU AND ANYONE ELSE USING OR SELLING THE SOFTWARE WITHOUT A LICENSE. BY INSTALLING, DOWNLOADING OR USING THE SOFTWARE, OR AUTHORIZING OTHERS TO DO SO, YOU, ON BEHALF OF YOURSELF AND THE ENTITY FOR WHOM YOU ARE INSTALLING, DOWNLOADING OR USING THE SOFTWARE (HEREINAFTER REFERRED TO INTERCHANGEABLY AS “YOU” AND “END USER”), AGREE TO THESE TERMS AND CONDITIONS AND CREATE A BINDING CONTRACT BETWEEN YOU AND AVAYA INC. OR THE APPLICABLE AVAYA AFFILIATE (“AVAYA”).

Avaya grants You a license within the scope of the license types described below, with the exception of Heritage Nortel Software, for which the scope of the license is detailed below. Where the order documentation does not expressly identify a license type, the applicable license will be a Designated System License as set forth below in the Designated System(s) License (DS) section as applicable. The applicable number of licenses and units of capacity for which the license is granted will be one (1), unless a dif-

ferent number of licenses or units of capacity is specified in the documentation or other materials available to You. "Software" means computer programs in object code, provided by Avaya or an Avaya Channel Partner, whether as stand-alone products, pre-installed on hardware products, and any upgrades, updates, patches, bug fixes, or modified versions thereto. "Designated Processor" means a single stand-alone computing device. "Server" means a set of Designated Processors that hosts (physically or virtually) a software application to be accessed by multiple users. "Instance" means a single copy of the Software executing at a particular time: (i) on one physical machine; or (ii) on one deployed software virtual machine ("VM") or similar deployment.

License types

Designated System(s) License (DS). End User may install and use each copy or an Instance of the Software only: 1) on a number of Designated Processors up to the number indicated in the order; or 2) up to the number of Instances of the Software as indicated in the order, Documentation, or as authorized by Avaya in writing. Avaya may require the Designated Processor(s) to be identified in the order by type, serial number, feature key, Instance, location or other specific designation, or to be provided by End User to Avaya through electronic means established by Avaya specifically for this purpose.

Concurrent User License (CU). End User may install and use the Software on multiple Designated Processors or one or more Servers, so long as only the licensed number of Units are accessing and using the Software at any given time. A "Unit" means the unit on which Avaya, at its sole discretion, bases the pricing of its licenses and can be, without limitation, an agent, port or user, an e-mail or voice mail account in the name of a person or corporate function (e.g., webmaster or helpdesk), or a directory entry in the administrative database utilized by the Software that permits one user to interface with the Software. Units may be linked to a specific, identified Server or an Instance of the Software.

Named User License (NU). You may: (i) install and use each copy or Instance of the Software on a single Designated Processor or Server per authorized Named User (defined below); or (ii) install and use each copy or Instance of the Software on a Server so long as only authorized Named Users access and use the Software. "Named

User", means a user or device that has been expressly authorized by Avaya to access and use the Software. At Avaya's sole discretion, a "Named User" may be, without limitation, designated by name, corporate function (e.g., webmaster or helpdesk), an e-mail or voice mail account in the name of a person or corporate function, or a directory entry in the administrative database utilized by the Software that permits one user to interface with the Software.

Copyright

Except where expressly stated otherwise, no use should be made of materials on this site, the Documentation, Software, Hosted Service, or hardware provided by Avaya. All content on this site, the documentation, Hosted Service, and the product provided by Avaya including the selection, arrangement and design of the content is owned either by Avaya or its licensors and is protected by copyright and other intellectual property laws including the sui generis rights relating to the protection of databases. You may not modify, copy, reproduce, republish, upload, post, transmit or distribute in any way any content, in whole or in part, including any code and software unless expressly authorized by Avaya. Unauthorized reproduction, transmission, dissemination, storage, and or use without the express written consent of Avaya can be a criminal, as well as a civil offense under the applicable law.

Virtualization

The following applies if the product is deployed on a virtual machine. Each product has its own ordering code and license types. Note, unless otherwise stated, that each Instance of a product must be separately licensed and ordered. For example, if the end user customer or Avaya Channel Partner would like to install two Instances of the same type of products, then two products of that type must be ordered.

Third Party Components

"Third Party Components" mean certain software programs or portions thereof included in the Software or Hosted Service may contain software (including open source software) distributed under third party agreements ("Third Party Components"), which contain terms regarding the rights to use certain portions of the Software ("Third Party Terms"). As required, information regarding distributed Linux OS source code (for those products that have distributed Linux OS source code) and identifying the copyright holders of the Third Party Components and the Third Party Terms that apply is available in the products, Documentation or on Avaya's website at: <https://support.avaya.com/Copyright> or such successor site as designated by Avaya. The open source software license terms provided as Third Party Terms are consistent with the license rights granted in these Software License Terms, and may contain additional rights benefiting You, such as modification and distribution of the open source software. The Third Party Terms shall take precedence over these Software License Terms, solely with respect to the applicable Third Party Components to the extent that these Software License Terms impose greater restrictions on You than the applicable Third Party Terms.

The following applies only if the H.264 (AVC) codec is distributed with the product. THIS PRODUCT IS LICENSED UNDER THE AVC PATENT PORTFOLIO LICENSE FOR THE PERSONAL USE OF A CONSUMER OR OTHER USES IN WHICH IT DOES NOT RECEIVE REMUNERATION TO (i) ENCODE VIDEO IN COMPLIANCE WITH THE AVC STANDARD ("AVC VIDEO") AND/OR (ii) DECODE AVC VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE AVC VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE.

ADDITIONAL INFORMATION MAY BE OBTAINED FROM MPEG LA, L.L.C. SEE [HTTP://WWW.MPEGLA.COM](http://www.mpegla.com).

Service Provider

THE FOLLOWING APPLIES TO AVAYA CHANNEL PARTNER'S HOSTING OF AVAYA PRODUCTS OR SERVICES. THE PRODUCT OR HOSTED SERVICE MAY USE THIRD PARTY COMPONENTS SUBJECT TO THIRD PARTY TERMS AND REQUIRE A SERVICE PROVIDER TO BE INDEPENDENTLY LICENSED DIRECTLY FROM THE THIRD PARTY SUPPLIER. AN AVAYA CHANNEL PARTNER'S HOSTING OF AVAYA PRODUCTS MUST BE AUTHORIZED IN WRITING BY AVAYA AND IF THOSE HOSTED PRODUCTS USE OR EMBED CERTAIN THIRD PARTY SOFTWARE, INCLUDING BUT NOT LIMITED TO MICROSOFT SOFTWARE OR CODECS, THE AVAYA CHANNEL PARTNER IS REQUIRED TO INDEPENDENTLY OBTAIN ANY APPLICABLE LICENSE AGREEMENTS, AT THE AVAYA CHANNEL PARTNER'S EXPENSE, DIRECTLY FROM THE APPLICABLE THIRD PARTY SUPPLIER.

WITH RESPECT TO CODECS, IF THE AVAYA CHANNEL PARTNER IS HOSTING ANY PRODUCTS THAT USE OR EMBED THE G.729 CODEC, H.264 CODEC, OR H.265 CODEC, THE AVAYA CHANNEL PARTNER ACKNOWLEDGES AND AGREES THE AVAYA CHANNEL PARTNER IS RESPONSIBLE FOR ANY AND ALL RELATED FEES AND/OR ROYALTIES. THE G.729 CODEC IS LICENSED BY SIPRO LAB TELECOM INC. SEE [WWW.SIPRO.COM/CONTACT.HTML](http://www.sipro.com/contact.html). THE H.264 (AVC) CODEC IS LICENSED UNDER THE AVC PATENT PORTFOLIO LICENSE FOR THE PERSONAL USE OF A CONSUMER OR OTHER USES IN WHICH IT DOES NOT RECEIVE REMUNERATION TO: (I) ENCODE VIDEO IN COMPLIANCE WITH THE AVC STANDARD ("AVC VIDEO") AND/OR (II) DECODE AVC VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE AVC VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION FOR H.264 (AVC) AND H.265 (HEVC) CODECS MAY BE OBTAINED FROM MPEG LA, L.L.C. SEE [HTTP://WWW.MPEGLA.COM](http://www.mpegla.com).

Compliance with Laws

You acknowledge and agree that it is Your responsibility for complying with any applicable laws and regulations, including, but not limited to laws and regulations related to call recording, data privacy, intellectual property, trade secret, fraud, and music performance rights, in the country or territory where the Avaya product is used.

Preventing Toll Fraud

"Toll Fraud" is the unauthorized use of your telecommunications system by an unauthorized party (for example, a person who is not a corporate employee, agent, subcontractor, or is not working on your company's behalf). Be aware that there can be a risk of Toll Fraud associated with your system and that, if Toll Fraud occurs, it can result in substantial additional charges for your telecommunications services.

Avaya Toll Fraud intervention

If You suspect that You are being victimized by Toll Fraud and You need technical assistance or support, call Technical Service Center Toll Fraud Intervention Hotline at +1-800-643-2353 for the United States and Canada. For additional support telephone numbers, see the Avaya Support website: <https://support.avaya.com> or such successor site as designated by Avaya.

Security Vulnerabilities

Information about Avaya's security support policies can be found in the Security Policies and Support section of <https://support.avaya.com/security>.

Suspected Avaya product security vulnerabilities are handled per the Avaya Product Security Support Flow (<https://support.avaya.com/css/P8/documents/100161515>).

Downloading Documentation

For the most current versions of Documentation, see the Avaya Support website: <https://support.avaya.com>, or such successor site as designated by Avaya.

Contact Avaya Support

See the Avaya Support website: <https://support.avaya.com> for product or Hosted Service notices and articles, or to report a problem with your Avaya product or Hosted Service. For a list of support telephone numbers and contact addresses, go to the Avaya Support website: <https://support.avaya.com> (or such successor site as designated by Avaya), scroll to the bottom of the page, and select Contact Avaya Support.

Trademarks

The trademarks, logos and service marks ("Marks") displayed in this site, the Documentation, Hosted Service(s), and product(s) provided by Avaya are the registered or unregistered Marks of Avaya, its affiliates, its licensors, its suppliers, or other third parties. Users are not permitted to use such Marks without prior written consent from

Avaya or such third party which may own the Mark. Nothing contained in this site, the Documentation, Hosted Service(s) and product(s) should be construed as granting, by implication, estoppel, or otherwise, any license or right in and to the Marks without the express written permission of Avaya or the applicable third party.

Avaya is a registered trademark of Avaya Inc.

All non-Avaya trademarks are the property of their respective owners. Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries.

OAUTH 2 CONFIGURATION


Install and configure OAuth2.0

OAuth 2.0 provides secure user authentication and is required for Gmail to access the messaging servers.




OAuth 2.0 Setup


1. Open a web browser and go to <https://console.developers.google.com>. Login using your Google credentials.
2. Click the **Google** menu. Select **IAM & admin > Manage resources**.




3. Click **Create project**.




4. Give the new project a name, then click **Create**.




- Return to the **IAM & admin** page, then select **Service accounts**. Click **Create service account**.




- Give the connection a name. Expand the **Role** menu, then select **Project > Owner**. Click **Furnish a new private key**, then enable **P12**. When ready click **Create**.




- The project file will be created with a .p12 extension. Make note of where the file is saved. Copy the file to both the **C:\UC\UCCSE** and **C:\UC\IMAPTSE** folders. (Change the path accordingly if your program is installed on a different drive.)




- Record the Private key password (**notasecret**) and click **Close**.




- Select the account you just created, click the menu icon and choose **Edit**.




- Turn on **Enable G Suite Domain-wide Delegation**. Click **Configure Consent Screen**.




11. Enter a product name and click **Save**.




12. Click **Save** to complete the delegation.



13. Click **View Client ID**.



14. Record the Client ID and the Service account email address for the project. Click **Save**.




15. Rename both copies of the P12 file from step 7 to match the email address recorded in step 14. Include the domain and the .com extension.




Caution: Do Not change the extension of the file. Always ensure it retains the P12 extension.

16. In the left-hand pane, click **Library > G Suite**.




17. Click **Admin SDK**, then select **Enable**.



18. Once it has been activated, click the arrow to return to G Suite page. Repeat to enable all of the following APIs:


- [Google Calendar API](#)
- [Google Drive API](#)
- [Gmail API](#)


19. From the Library, click **Social** and enable the **Contacts API**.





Hint: While these settings will work for most sites, not all sites will want to open all of these channels if it is not required. See **Minimum Required Scopes and APIs by Product** for details.

Domain Setup


1. Login to Google Apps as an administrator.
2. Click Settings  and choose **Manage this domain**.




3. If prompted, provide the necessary administrator account and password details to login.
4. At the Admin Console, choose Security and click **API Reference**.




- In the section for API access, place a check in the **Enable API access** box. Click **Save Changes**.



- Return to the Security page and click **Advanced settings**.



- Click **Manage API client access**.



- Enter the Client ID value from step 14 into the **Client Name** field. In the space for **One or More API Scopes**, enter the following string:

https://docs.google.com/feeds/,https://mail.google.com/,https://www.google.com/m8/feeds/,https://www.googleapis.com/auth/calendar

Manage API client access
Developers can register their web applications and other API clients with Google to enable access to data in Google services like Calendar. You can authorize these registered clients to access your user data without your users having to individually give consent or their passwords. [Learn more](#)

Authorized API clients The following API client domains are registered with Google and authorized to access data for your users.

<p>Client Name</p> <p>Example: www.example.com</p>	<p>One or More API Scopes</p> <p>Example: http://www.google.com/calendar/feeds/ (comma-delimited)</p> <p style="text-align: right;"><input type="button" value="Authorize"/></p>
---	---

[Learn more about registering new API clients](#)

Client ID	123456789012345678901
Service account	TestAccount testaccount@testproject201810.iam.gserviceaccount.com
Creation date	27 Apr, 2018, 08:41:21

Hint: Copy and paste the string above into the scopes field in Chrome. This will greatly reduce the chance of misspelling the entry and breaking the configuration.

Hint: While these settings will work for most sites, not all sites will want to open all of these channels if it is not required. See **Minimum Required Scopes and APIs by Product** for details.

Note: When configuring for Zang Connect for Cisco TelePresence (TMS), an additional scope must be defined (**Calendar Resources (Read/Write)**). To the above list, add the following:

https://apps-apis.google.com/a/feeds/calendar/resource/

- When ready, click the **Authorize** button.
- Verify that the selected scopes were successfully installed.

123456789012345678901	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;">Calendar Resources (Read/Write)</td> <td style="padding: 2px;">https://apps-apis.google.com/a/feeds/calendar/resource/</td> </tr> <tr> <td style="padding: 2px;">Docs (Read/Write)</td> <td style="padding: 2px;">https://docs.google.com/feeds/</td> </tr> <tr> <td style="padding: 2px;">Email (Read/Write/Send)</td> <td style="padding: 2px;">https://mail.google.com/</td> </tr> <tr> <td style="padding: 2px;">Contacts (Read/Write)</td> <td style="padding: 2px;">https://www.google.com/m8/feeds/</td> </tr> <tr> <td style="padding: 2px;">Calendar (Read/Write)</td> <td style="padding: 2px;">https://www.googleapis.com/auth/calendar</td> </tr> </table>	Calendar Resources (Read/Write)	https://apps-apis.google.com/a/feeds/calendar/resource/	Docs (Read/Write)	https://docs.google.com/feeds/	Email (Read/Write/Send)	https://mail.google.com/	Contacts (Read/Write)	https://www.google.com/m8/feeds/	Calendar (Read/Write)	https://www.googleapis.com/auth/calendar	Remove
Calendar Resources (Read/Write)	https://apps-apis.google.com/a/feeds/calendar/resource/											
Docs (Read/Write)	https://docs.google.com/feeds/											
Email (Read/Write/Send)	https://mail.google.com/											
Contacts (Read/Write)	https://www.google.com/m8/feeds/											
Calendar (Read/Write)	https://www.googleapis.com/auth/calendar											

OAuth2 and Officelinx High Availability (HA)

When using OAuth2 in an HA environment, the private key must be copied to both of these locations on the **Consolidated** server (**C:\UC\IMAPTSE** and **C:\UC\UCCSE**).

Minimum Required Scopes and APIs by Product

Enabling all of the listed scopes and APIs will work for most situations. However, not all administrators will want to open all of these channels if it is not necessary. This table shows the minimum required scopes and APIs for each product.

		OFFICELINX	ZANG CONNECT FOR CISCO	ZANG CONNECT FOR CISCO JABBER	ZANG CONNECT FOR WEBEX	ZANG CONNECT FOR CISCO TELEPRESENCE
SCOPES * (see below)	auth/admin	•	•	•	•	
	auth/calendar					•
	auth/drive	•	•			
	auth/drive.file	•	•			
	calendar/feeds	•	•	•	•	
	calendar/resource					•
	m8/feeds	•	•	•	•	
	mail.google.com	•	•			
APIs	Admin SDK	•	•	•	•	•
	Contacts API	•	•	•	•	
	Google Calendar API	•	•	•	•	•
	Google Drive API	•	•			
	GMail API	•	•			

* The full paths for all listed scopes are displayed here.

auth/admin - <https://www.googleapis.com/auth/admin.directory.user.readonly>

auth/calendar - <https://www.googleapis.com/auth/calendar>

auth/drive - <https://www.googleapis.com/auth/drive>

auth/drive.file - <https://www.googleapis.com/auth/drive.file>

calendar/feeds - <https://www.google.com/calendar/feeds/>

calendar/resource - <https://apps-apis.google.com/a/feeds/calendar/resource/>

m8/feeds - <https://www.google.com/m8/feeds/>

mail.google.com - <https://mail.google.com/>